



TUBING

SQUARE

Size	Ga.	Thickness	Lbs./Ft.	Size	Ga.	Thickness	Lbs./Ft.
1 / 2 "	16	.065	.384	4 "	11	.120	6.45
					3 / 16	.188	9.42
3 / 4 "	16	.065	.605	1 / 4	.250	12.21	
					5 / 16	.312	14.83
1 "	16	.065	.827	3 / 8	.375	17.27	
	15	.072	.909	1 / 2	.500	21.63	
	14	.083	1.04	5 "	3 / 16	.188	11.97
	12	.109	1.32		1 / 4	.250	15.62
	11	.120	1.44		5 / 16	.312	19.08
1 1 / 4 "	16	.065	1.05	3 / 8	.375	22.37	
	14	.083	1.32	1 / 2	.500	28.43	
	12	.109	1.69	6 "	3 / 16	.188	14.53
	11	.120	1.84		1 / 4	.250	19.02
	10	.135	1.89		5 / 16	.312	23.34
	3 / 16	.188	2.40	3 / 8	.375	27.48	
1 1 / 2 "	16	.065	1.27	1 / 2	.500	35.24	
	14	.083	1.60	7 "	3 / 16	.188	17.08
	12	.109	2.06		1 / 4	.250	22.42
	11	.120	2.25		5 / 16	.312	27.59
	10	.145	2.35	3 / 8	.375	32.58	
		3 / 16	.188	3.04	1 / 2	.500	42.05
		1 / 4	.250	3.70	8 "	3 / 16	.188
2 "	16	.065	1.71	1 / 4		.250	25.82
	14	.083	2.16	5 / 16		.312	31.84
	12	.109	2.80	3 / 8		.375	37.69
	11	.120	3.12	1 / 2		.500	48.85
		3 / 16	.188	4.32	5 / 8	.625	60.40
	1 / 4	.250	5.41				

2 1/2 "	14	.083	2.67	10 "	3 / 16	.188	24.73
	11	.120	3.90		1 / 4	.250	32.63
	3 / 16	.188	5.59		5 / 16	.312	40.35
	1 / 4	.250	7.11		3 / 8	.375	47.90
			1 / 2		.500	62.46	
3 "	14	.083	3.23	12 "	1 / 4	.250	39.43
	11	.120	4.75		5 / 16	.312	48.86
	3 / 16	.188	6.87		3 / 8	.375	58.10
	1 / 4	.250	8.81		1 / 2	.500	76.07
	5 / 16	.312	10.58				
3 1/2 "	11	.120	5.60				
	3 / 16	.188	8.15				
	1 / 4	.250	10.51				
	5 / 16	.312	12.70				

Some of the above items are stocked by request only

RECTANGULAR

Size	Ga.	Thickness	Lbs./Ft.	Size	Ga.	Thickness	Lbs./Ft.
1 1/2 X 1	16	.065	1.05	5 X 3	11	.120	6.45
	11	.120	1.84		3/16	.188	9.42
2 X 1	16	.065	1.18		1/4	.250	12.21
	14	.083	1.60		5/16	.312	14.83
	11	.120	2.25	3/8	.375	17.27	
2 X 1 1/4	11	.120	2.46	5 X 4	3/16	.188	10.70
2 X 1 1/2	11	.120	2.66		1/4	.250	13.91
2 1/2 X 1 1/2	14	.083	2.16	6 X 2	11	.120	6.45
	11	.120	3.12		3/16	.188	9.42
	3/16	.188	4.49		1/4	.250	12.21
	1/4	.250	5.59		5/16	.312	14.83
					3/8	.375	17.27
3 X 1	14	.083	2.10	6 X 3	3/16	.188	10.70
	11	.120	3.05		1/4	.250	13.91
3 X 1 1/2	14	.083	2.39		5/16	.312	16.96

Size	Ga.	Thickness	Lbs./Ft.	Size	Ga.	Thickness	Lbs./Ft.
	11	.120	3.48		3/8	.375	19.82
	3/16	.188	4.96				
3 1/2 X 1 1/2	14	.083	2.67	6 X 4	3/16	.188	11.97
					1/4	.250	15.62
3 X 2	14	.083	2.67		5/16	.312	19.08
	11	.120	3.90		3/8	.375	22.37
	3/16	.188	5.59		1/2	.500	28.43
	1/4	.250	7.11				
4 X 2	14	.083	3.23	7 X 5	3/16	.188	14.53
	11	.120	4.75		1/4	.250	19.02
	3/16	.188	6.87		5/16	.312	23.34
	1/4	.250	8.81		3/8	.375	27.48
	5/16	.312	10.58		1/2	.500	35.24
4 X 3	14	.083	3.80	8 X 2	3/16	.188	11.97
	11	.120	5.60		1/4	.250	15.62
	3/16	.188	8.15				
	1/4	.250	10.51	8 X 3	3/16	.188	13.25
					1/4	.250	17.32
5 X 2	11	.120	5.60		3/8	.375	24.93
	3/16	.188	8.15				
	1/4	.250	10.51				
8 X 4	3/16	.188	14.53	10 X 6	3/16	.188	19.63
	1/4	.250	19.02		1/4	.250	25.82
	5/16	.312	23.34		3/8	.375	37.69
	3/8	.375	27.48				
	1/2	.500	35.24	10 X 8	1/4	.250	29.23
					5/16	.312	36.10
8 X 6	3/16	.188	17.08	12 X 2	3/16	.188	17.08
	1/4	.250	22.42		1/4	.250	22.42
	5/16	.312	27.59				
	3/8	.375	32.58	12 X 3	3/16	.188	18.35
	1/2	.500	42.05				
10 X 2	3/16	.188	14.53	12 x 4	1/4	.250	25.82
	1/4	.250	19.02				
	3/8	.375	27.48	12 X 6	1/4	.250	29.23
					5/16	.312	36.10
10 X 3	1/4	.250	20.72		3/8	.375	42.79

Size	Ga.	Thickness	Lbs./Ft.	Size	Ga.	Thickness	Lbs./Ft.
10 X 4	1/4	.250	22.42	12 X 8	1/4	.250	32.63
	3/8	.375	32.58	12 X 8	3/8	.375	47.90

Some of the above items are stocked by request only.